

DESCRIPTION OF NATIONAL GENETIC EVALUATION SYSTEMS

Country (or countries)	SLOVENIJA
Main trait group¹	FEMALE FERTILITY
NOTE! Only one trait group per form!	
Breed(s)	HOL, BSW
Trait definition(s) and unit(s) of measurement² Attach an appendix if needed	Calving Interval as a time period between consecutive lactations, measured in days.
Method of measuring and collecting data	Calving dates recorded within milk recording system
Time period for data inclusion	from 01.01.2004
Age groups (e.g. parities) included	Parity 1 - 5
Other criteria (data edits) for inclusion of records	Days in milk 6-305 Number of herds ≥ 3
Criteria for extension of records (if applicable)	
Sire categories	AI
Environmental effects³, pre-adjustments	No
Method (model) of genetic evaluation³	ST Repeatability AM BLUP
Environmental effects³ in the genetic evaluation model	F – year of calving*month of calving, milk (kg) class*parity class R – herd*year, permanent environment, animal
Adjustment for heterogeneous variance in evaluation model	
Use of genetic groups and relationships	
Blending of foreign/Interbull information in evaluation	No
Genetic parameters in the evaluation	Use Appendix GE for heritability/genetic variance estimates; for multiple-trait genetic evaluations, provide genetic correlation estimates between traits separately. Use also appendices PR, CO, BCO, SM, LO, CA, as applicable, if you participate in the international genetic evaluations of Interbull
System validation	Genetic trend validation – method 3
Expression of genetic evaluations If standardised (e.g. RBV), give standardisation formula in the appendix	$BV12 = ((BV - a)/b) * 12 + 100$ a – mean of BV b – standard deviation of BV
Definition of genetic reference base	Population average
Next base change	Next evaluation
Calculation of reliability	Yes

Criteria for official publication of evaluations	reliability(sire, dam) ≥ 0.3
Number of evaluations / publications per year	3
Use in total merit index⁴	HOL: int 9% BSW: int 5%
Anticipated changes in the near future	
Key reference on methodology applied	Web site: http://rodica.bf.uni-lj.si/govedo
Key organisation: name, address, phone, fax, e-mail, web site	University of Ljubljana, Biotechnical Faculty, Department of Animal Science, Groblje 3, 1230 Domzale, Slovenija Tel. +386 1 3203 872 Fax: +386 1 7241 005 Jurij.Krsnik@bf.uni-lj.si , Klemen.Potocnik@bf.uni-lj.si

1) Either: Production (e.g. milk, fat, protein), Conformation, Health (e.g. mastitis resistance, milk somatic cell, resistance to diseases other than mastitis), Longevity, Calving (e.g. stillbirth, calving ease), Female fertility (e.g. non-return rate, interval between reproductive events, number of AI's, heat strength), Workability (e.g. milking speed, temperament), Beef production, Efficiency (e.g. body weight, energy balance, body conditioning score), or Other traits.

2) Indicate frequencies per category if the trait is categorical and specify transformation of data if practiced.

3) Use abbreviations for most common effects (see document with list of abbreviations at http://www-interbull.slu.se/service_documentation/General/list_of_abbreviations.rtf) and indicate random (R) or fixed (F).

4) Please give economic weights and indicate how they are expressed (preferably in genetic standard deviation units).

Parameters for national genetic evaluations for female fertility traits as provided to Interbull

Country (or countries): SLOVENIA
Main trait group: Female Fertility
Breed(s): HOL

Trait	h^2	genetic variance	official proof standardisation formula ^a
Heifer conception			
Cow recycling			
Lactating cows ability to conceive (1)			
Lactating cows ability to conceive (2)			
Interval traits (days)	0.108	695.935	a=0 b=11.7835 c=12 d=100

Country (or countries): SLOVENIA
Main trait group: Female Fertility
Breed(s): BSW

Trait	h^2	genetic variance	official proof standardisation formula ^a
Heifer conception			
Cow recycling			
Lactating cows ability to conceive (1)			
Lactating cows ability to conceive (2)			
Interval traits (days)	0.089	520.343	a=0 b=10.4681 c=12 d=100

^a Expressed as follows:
 $\text{StandEval} = ((\text{eval} - a) / b) * c + d$ where a=mean of the base adjustment, b=standard deviation of the base, c=standard deviation of expression (include sign if scale is reversed), and d=base of expression.

Form GE**Appendix LO****Parameters for national genetic evaluations for longevity traits as provided to Interbull****Country (or countries):****Main trait group:**

Workability traits

Breed(s):

Trait	h^2	genetic variance	official proof standardisation formula ^a
Milking Speed			
Temperament			

^a Expressed as follows:
 $\text{StandEval} = ((\text{eval} - a) / b) * c + d$ where a = mean of the base adjustment, b = standard deviation of the base, c = standard deviation of expression (include sign if scale is reversed), and d = base of expression.